



WALL

HAIKU

DESIGN FABRIZIO CRISÀ








HAIKU

DESIGN FABRIZIO CRISÀ

AWARDS



SILENCE



SPECIAL MATERIAL

WALL



BACK ASPIRATION



LONG LIFE FILTER



CM 60



CM 65

ISLAND VERSION P. 117

VERSION EN ILOT P. 117

TECHNICAL FEATURES INFORMATIONS TECHNIQUES

Size Dimensions	32 - 60 - 90 - 120 cm
Version Version	Duct-out Extraction
Finish Finition	Black glass, white Krypton, cement effect stonewear, stainless steel Verre noir, Krypton blanc, Grès effet ciment, Acier inox

LIGHTING ECLAIRAGE

Type Type	Strip Led 1x7 W
Intensity Intensité	281 LUX
Temperature Température	3500 K

PERFORMANCE PERFORMANCE

Controls Commandes	3S+2B Touch Control Commandes Tactiles 3V+2I
Min-max airflow Aspiration min-max	300 - 1000 m ³ /h
Min-Max noise level Niveau sonore min-max	32 - 52 db(A)
Total absorption Absorption totale	260 W
Duct size Sortie	150 mm



Possibility for installation in extraction or filtration mode, without the aid of the upper chimney, remaining within a height of 680 mm
Installation possible, en version aspiration ou filtrante, sans l'aide de la cheminée supérieure, en restant à une hauteur de 680 mm

Grease aluminium Filter included Filtre à graisse en aluminium inclus

ACCESSORIES ACCESSOIRES

Charcoal Filter Filtre à charbon	CFC0141529
Long Life Filter Filtre longue durée	CFC0141725



More details on next page
Plus de détails page suivante

MODELS MODELES

HAIKU BL/A/32	PRF0146263
HAIKU WH/A/32	PRF0146267
HAIKU CONCRETE/A/32	PRF0146258
HAIKU IX/A/32	PRF0146254
HAIKU BL/A/60	PRF0146264
HAIKU WH/A/60	PRF0146268
HAIKU CONCRETE/A/60	PRF0146259
HAIKU IX/A/60	PRF0146255
HAIKU BL/A/90	PRF0146265
HAIKU WH/A/90	PRF0146269
HAIKU CONCRETE/A/90	PRF0146260
HAIKU IX/A/90	PRF0146256
HAIKU BL/A/120	PRF0146266
HAIKU WH/A/120	PRF0146270
HAIKU CONCRETE/A/120	PRF0146261
HAIKU IX/A/120	PRF0146257

HARMONY AND SIMPLICITY HARMONIE ET SIMPLICITÉ



The aesthetic linearity can be seen in the cast iron effect aluminium grilles, which strongly characterise the product. They are easy to remove and are equipped with a blocking system designed to avoid accidental falls.

The proposed materials and continuous surfaces allow fast and efficient cleaning, even after more intense cooking sessions.

L'esthétique linéaire du produit est particulièrement caractérisée par les grilles en aluminium effet fonte. Faciles à enlever, elles sont équipées d'un système de blocage qui évite les chutes accidentelles.

Le choix des matériaux et les surfaces continues permettent un nettoyage rapide et efficace même après des cuissons intenses



METRIC VISIONS

Thanks to the sizes in which it is proposed, Haiku is perfect for a range of design solutions. It is available in both a wall-mounted version (32, 60, 90 and 120 cm) and island version (32, 120, 180 cm), in both an extractor and filtration version.

VISIONS MÉTRIQUES

Grâce aux multiples dimensions proposées, Haiku est une solution parfaite pour de nombreux projets. Elle est disponible en version murale (32, 60, 90 et 120cm) et en version îlot (32, 120, 180cm), en mode aspiration et filtration.

SHIFT 3238 SYSTEM

THE ONLY SYSTEM WITH ADJUSTABLE DEPTH

Elica was the first in the market to propose an innovative wall-mounted bracket system in Haiku SHIFT 3238, thanks to which installation operations have been largely simplified. Haiku can be positioned either in line with the shelves or in such a way as to increase the work space on the hob.

SHIFT 3238 allows the millimetric adjustment of the hood body depth. Limitations simply disappear and aesthetic solutions multiply, as do the advantages of cleaning operations.

L'UNIQUE SYSTÈME AJUSTABLE EN PROFONDEUR

Elica est la première marque du marché à proposer le système SHIFT 3238 pour Haiku : un système de montage mural simple et adaptatif. Il est ainsi possible de choisir la position de Haiku, alignée sur l'avant des meubles hauts ou de façon à augmenter l'espace de cuisson.

SHIFT 3238 permet l'ajustement au millimètre du corps de la hotte en profondeur. Les bordures disparaissent, les possibilités esthétiques sont multipliées et le nettoyage simplifié.

